	Application No.	Applicant(s)
Notice of Allowability	10/002,237	SAWADA ET AL.
	Examiner	Art Unit
	Khai M Nguyen	2684
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>application filed on 90/17/2004</u> .		
2. The allowed claim(s) is/are <u>1</u> .		
3. The drawings filed on <u>09/17/2004</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 01/28/2004 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary Paper No./Mail Date 8), 7. ☐ Examiner's Amendm	ė ˙

Application/Control Number: 10/002,237

Art Unit: 2684

Reasons for allowance

1. Claim 1 is allowed.

The following is an examiner's statement of reasons for allowance: the prior art Made of record and considered pertinent to the applicant's discloses does not disclose nor fairly suggest:

A switching device including one central actuator and two outer actuators disposed apart from said central actuator on both its sides, wherein: said central actuator is a cylindrical dial supported rotatably about a pair of spindle bearings of a base plate and depressibly; said base plate supporting said central actuator is disposed as fitted in a frame; each of said outer actuators is pivotable in a direction generally perpendicularly to a direction in which the three actuators are arrayed and about a pivot generally perpendicular to a direction in which the operating surface thereof is pushed, to press a contact disposed on the frame when said outer actuator is pivoted; and each of said outer actuators has a to-be-supported piece extending to a position where said outer actuator is deviated away from the lateral edge of the dial in the rotating direction as viewed from front, and is pivotally supported at the end of the to-be-supported piece to the frame and thus it has a center axis crossing the spindle bearing of said central actuator.

Art Unit: 2684

2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance.

Conclusion

- The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
 - a) Prior et al. (U.S. Pat-20010044317) discloses A telephone handset having a touch input button on the rear surface of the handset.
 - b) Nuovo et al. (U.S. Pat-6097964) discloses Navigation key for a handset.
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khai M Nguyen whose telephone number is 703.305.3906. The examiner can normally be reached on 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on 703.308.7745. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

7

Application/Control Number: 10/002,237

Art Unit: 2684

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Khai Nguyen Au:2684 09/17/2004

NICK CORSARO